


Data: 22 File: E:\Test data\HHOPERF\Test data.EM6 (53)

Date: 2012-04-17




Site : 3m chamber
 Condition : FCC PART15 CLASS B 3m VULB9163-2012 VERTICAL
 EUT : RFM23B-915MHz (4dBm)
 Model :
 Test Mode :
 Power Rating :
 Test Engineer: Hans
 Remark :

Freq	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Level	Limit Line	Over Limit	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1 * 914.9800	105.64	24.46	1.74	31.47	100.37	46.00	54.37	Peak

Data: 23 File: E:\Test data\HHOPERF\Test data.EM6 (53)

Date: 2012-04-17




Site : 3m chamber
 Condition : FCC PART15 CLASS B 3m VULB9163-2012 HORIZONTAL
 EUT : RFM23B-915MHz (4dBm)
 Model :
 Test Mode :
 Power Rating :
 Test Engineer: Hans
 Remark :

Freq	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Level	Limit	Over	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1 * 914.9800	100.88	25.18	1.74	31.47	96.33	46.00	50.33	Peak

Data: 36 File: E:\Test data\HHOPERF\Test data.EM6 (53)

Date: 2012-04-17




Site : 3m chamber
 Condition : FCC PART 15 (PK) 3m BBHA9120D ANT(>1GHZ) VERTICAL
 EUT : RFM23B-915MHz (4dBm)
 Model :
 Test Mode :
 Power Rating :
 Test Engineer: Hans
 Remark :

	ReadAntenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
-----	-----	-----	-----	-----	-----	-----	-----	-----
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1 3658.0000	40.94	29.19	3.68	27.61	46.20	74.00	-27.80	Peak

Data: 37 File: E:\Test data\HHOPERF\Test data.EM6 (53)


Date: 2012-04-17



Site : 3m chamber
Condition : FCC PART 15 (PK) 3m BBHA9120D ANT(>1GHZ) HORIZONTAL
EUT : RFM23B-915MHz (4dBm)
Model :
Test Mode :
Power Rating :
Test Engineer: Hans
Remark :

Data: 38 File: E:\Test data\HHOPERF\Test data.EM6 (53)

Date: 2012-04-17




Site : 3m chamber
 Condition : FCC PART 15 (PK) 3m BBHA9120D ANT(>1GHZ) VERTICAL
 EUT : RFM23B-915MHz (4dBm)
 Model :
 Test Mode :
 Power Rating :
 Test Engineer: Hans
 Remark :

	ReadAntenna	Cable	Preamp	Limit	Over		
Freq	Level	Loss	Factor	Line	Limit	Remark	
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	
1 1830.0000	48.31	25.42	2.45	30.94	45.24	74.00	-28.76 Peak

Data: 39 File: E:\Test data\HHOPERF\Test data.EM6 (53)

Date: 2012-04-17



Site : 3m chamber
 Condition : FCC PART 15 (PK) 3m BBHA9120D ANT(>1GHZ) HORIZONTAL
 EUT : RFM23B-915MHz (4dBm)
 Model :
 Test Mode :
 Power Rating :
 Test Engineer: Hans
 Remark :

	ReadAntenna	Cable	Preamp	Limit	Over	
Freq	Level	Loss	Factor	Line	Limit	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m
1 1830.0000	46.12	25.42	2.45	30.94	43.05	74.00 -30.95 Peak