



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: HP #132
Standard: EN300 220(TX)
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT:
Mode: TX 868MHz
Model: RFM69CW-868S2(10dBm)
Manufacturer:

Polarization: Vertical
Power Source: DC 3V
Date: 2013/11/18
Time: 16:23:14
Engineer Signature: PEI
Distance: 3m

Note:



No.	Freq. (MHz)	Reading (dBm)	Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	868.0478	-2.81	8.09	5.28	-54.00	59.28	peak			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: HP #133
Standard: EN300 220(TX)
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT:
Mode: TX 868MHz
Model: RFM69CW-868S2(10dBm)
Manufacturer:

Polarization: Horizontal
Power Source: DC 3V
Date: 2013/11/18
Time: 16:24:16
Engineer Signature: PEI
Distance: 3m

Note:



No.	Freq. (MHz)	Reading (dBm)	Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	868.0478	-3.26	7.89	4.63	-54.00	58.63	peak			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: HP #148
Standard: EN300 220(TX)
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT:
Mode: TX 868MHz
Model: RFM69CW-868S2(10dBm)
Manufacturer:

Polarization: Vertical
Power Source: DC 3V
Date: 2013/11/18
Time: 17:00:04
Engineer Signature: PEI
Distance: 3m

Note:



No.	Freq. (MHz)	Reading (dBm)	Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1736.000	-40.28	0.76	-39.52	-30.00	-9.52	peak			
2	2604.000	-36.30	2.39	-33.91	-30.00	-3.91	peak			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: HP #149
Standard: EN300 220(TX)
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT:
Mode: TX 868MHz
Model: RFM69CW-868S2(10dBm)
Manufacturer:

Polarization: Horizontal
Power Source: DC 3V
Date: 2013/11/18
Time: 17:01:20
Engineer Signature: PEI
Distance: 3m

Note:



No.	Freq. (MHz)	Reading (dBm)	Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1736.000	-34.86	0.76	-34.10	-30.00	-4.10	peak			