



# ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: HP #114  
Standard: FCC Class B 3M Radiated  
Test item: Radiation Test  
Temp.( C)/Hum.(%) 23 C / 48 %  
EUT:  
Mode: TX 915MHz  
Model: RFM69CW-915S2(0dBm)  
Manufacturer:

Polarization: Horizontal  
Power Source: DC 3V  
Date: 2013/11/18  
Time: 15:19:22  
Engineer Signature: PEI  
Distance: 3m

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	915.1253	97.04	1.29	98.33	46.00	52.33	peak			



# ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: HP #115  
Standard: FCC Class B 3M Radiated  
Test item: Radiation Test  
Temp.( C)/Hum.(%) 23 C / 48 %  
EUT:  
Mode: TX 915MHz  
Model: RFM69CW-915S2(0dBm)  
Manufacturer:

Polarization: Vertical  
Power Source: DC 3V  
Date: 2013/11/18  
Time: 15:21:23  
Engineer Signature: PEI  
Distance: 3m

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	915.1253	95.43	1.29	96.72	46.00	50.72	peak			



# ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: HP #170  
Standard: FCC PK  
Test item: Radiation Test  
Temp.( C)/Hum.(%) 23 C / 48 %  
EUT:  
Mode: TX 915MHz  
Model: RFM69CW-915S2(0dBm)  
Manufacturer:

Polarization: Vertical  
Power Source: DC 3V  
Date: 2013/11/18  
Time: 17:44:41  
Engineer Signature: PEI  
Distance: 3m

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1830.000	18.76	34.65	53.41	74.00	-20.59	peak			
2	1830.000	13.76	34.65	48.41	54.00	-5.59	AVG			



# ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: HP #171  
Standard: FCC PK  
Test item: Radiation Test  
Temp.( C)/Hum.(%) 23 C / 48 %  
EUT:  
Mode: TX 915MHz  
Model: RFM69CW-915S2(0dBm)  
Manufacturer:

Polarization: Horizontal  
Power Source: DC 3V  
Date: 2013/11/18  
Time: 17:46:52  
Engineer Signature: PEI  
Distance: 3m

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1814.728	20.57	34.62	55.19	74.00	-18.81	peak			
2	1814.728	15.30	34.62	49.92	54.00	-4.08	AVG			